



SURFACE MOUNTED TACTILE PAVING

Product Guide



We are
Rail

www.visulsystems.com
www.tremcocpg-asiapacific.com

**“The purpose of
Tactile Paving is to
convey important
information to
visually impaired
pedestrians about
their environment”**




ABOUT US

Visul Systems is part of USL Speciality Products, a leading manufacturer and supplier of specialist construction products in the UK and Overseas.

Our surface mounted tactile paving for the visually impaired is formulated using PU, MMA & Epoxy technology, with a proven track record of over 20 years.

We guarantee excellence through our regularly audited ISO 9001 Quality Assurance scheme, with closely monitored design and manufacturing procedures.

The Visul Systems tile and adhesive portfolio adhere to current safety and DfT Guidelines, enabling products to be specified by Network Rail (UK), London Underground, plus many international rail and LRT operators.



About

Pioneers of Surface Mounted Tactile Paving Warning Surfaces

The innovative surface-bonded tactile system has a tried and tested track record of over 20 years. The innovative technique ensures perfect distribution of resin and special fillers within the tile construction.

DESCRIPTION


Visul tiles are manufactured on our innovative assembly line, thus ensuring perfect fillers and resin distribution, ensuring excellent wearing qualities with built-in flexibility.

PRODUCT PERFORMANCE TEST DATA & QA

- Network Rail (UK) & London Underground endorsed and installed for over 20 years, with trouble-free record.
- New improved product design
- Improved skid resistance
- Specifically formulated adhesives bond-tested by Nufins
- Tensile testing resulted in the failure mode, of the vast majority of test pieces, within the substrate
- Specific wear tested for durability
- UV stable
- Freeze/Thaw Tested
- Manufactured to strict QA scheme ISO9001

Heavyweight fillers increase wearing qualities 7 times more resilient than concrete.

Lightweight fillers increase flexibility, ensuring complete contact with substrate.



SYSTEM BENEFITS

- Seven times stronger than concrete
- No surface excavation required
- Rapid installation
- Adheres to most construction surfaces
- Hard wearing and durable
- Lightweight and easy to transport
- No 'hot works' adhesive only application



**WALK WITH
CONFIDENCE**

Clock House Station, UK


Platform Edge (off-street) Warning Surface

The purpose of this surface is to warn visually impaired people of the edge of all off-street railway platforms.

The profile of the platform edge (off-street) warning surface consists of offset rows of flat-topped domes 5mm (± 0.5 mm) high, spaced 66.5mm apart from the centre of one dome to the centre of the next.


-  400mm x 400mm
-  400mm x 600mm
-  400mm x 930mm
-  400mm x 1208mm
-  400mm x 1220mm

Applications




HAZARD YELLOW, GREY,
OR CHARCOAL

- Heavy rail platforms
- Off-street light rapid transit (LRT) platforms
- Underground platforms



**Innovative
Tactile Design**



Profile and plan of platform edge (on-street) warning surface
Not to scale, all dimensions in mm

Platform Edge (on-Street) Warning Surface

The purpose of the platform edge (on-street) warning surface is to warn visually impaired people that they are approaching the edge of an on-street light rapid (LRT) platform.

The profile of the platform edge (on-street) warning surface comprises rows of 'lozenge' shapes. The lozenge shapes are 6mm (±0.5mm) high and have rounded edges in order not to be a trip hazard.


Size

400mm x 400mm

Applications



- For use at all on-street LRT platform edges



Surface Mounted Tactile Paving Adhesive






In-house Manufactured system

Using the adhesive supplied with each kit of surface mounted tactile paving, it is truly possible to produce a chamfered or tapered edge detail, enabling smoother identification for the visually impaired and a seamless transition for both foot and wheel chair passengers alike when alighting the train.

Adhesive

Visul Systems manufacture a range of Polyurethane (PU), Epoxy (EP) and Methyl Methacrylate (MMA) adhesives with excellent bond strength and non-slumping characteristics making them ideally suited for bonding surface mounted tactiles to construction surfaces/substrates.

Visul Systems tactile adhesive outperforms all other tactile adhesives in terms of bond strength, long term performance and whole life costs.

-  Non shrink
-  No slumping, no primer required
-  100% adhesion to substrate
-  Rapid curing
-  Moisture tolerant (epoxy adhesive)

Maintenance Programme

It is important to monitor the tactile surface condition and plan for replacement as part of maintenance programmes.

The profile of the tactile surface is crucial to its effectiveness as a warning to visually impaired people.

Visul Systems technical department can advise on suitable design and maintenance programmes. Further technical information may be obtained on request and consultation is encouraged to ensure the suitability of materials and that installation detailing is optimised, to achieve in-service performance requirements.



**Sub-Zero
Adhesive Available**

Creating a Safer Environment for the Blind & Partially Sighted.



Hazard
Warning



Directional
Guidance



Presence of
Amenity



Our Clients:



We are Environmentally Conscious



No 'hot works' – Adhesive only application



Low noise pollution – No heavy duty plant or machinery necessary



Clean installation – No airborne contaminants created during installation process



Low carbon footprint – lightweight and easy to transport




We Guarantee Quality



**CONTRACTOR
TRAINING DAYS**



**APPLICATOR TRAINING
CARDS – 18 MONTHS**



**BRANDED
TILES**



Project Snapshots



**BATTLE STATION
KENT, UK**



**OLYMPIC PARK STATION
LONDON, UK**



**GODALMING STATION
SURREY, UK**

GRP Grating



GRP Gratings & Access Solutions

Visul GRP Grating allows for ease of onsite fabrication without the need for any hot works. Visul's GRP Grating are constructed using the best quality materials and are designed to take extremely heavy loads.

System Benefits:

- Slip Resistant
- Impact Resistant
- Lightweight
- Fire Retardant
- Corrosion Resistant

A cost effective alternative to traditional grating systems

Visul GRP Gratings & Access Solutions – Your long term maintenance free solution

Visul GRP Gratings & Access Solutions are designed to deliver the ultimate performance in the most demanding conditions. Visul GRP Grating offers a fit and forget solution due to its corrosion-resistant and non-conductive properties.



GRP Palisade Fencing Panels

A highly effective alternative to traditional steel fencing

Our GRP Palisade Fencing Panels are constructed using our non-conductive, lightweight pultruded profiles, making them a highly effective alternative to traditional steel fencing, whilst still maintaining strength.

A highly effective alternative to traditional steel fencing

Glass Reinforced Plastic (GRP) Palisade Fencing offers an alternative to steel which is light, easy to assemble, non-corrosive, non-conductive and is radar transparent. Ideal for electrical rail services.

Our GRP Profiles comply with BS EN 13706, either E17 or E23. The GRP Top Hat Pales are independently tested and comply with the requirements of BS 1722-12:2016.



Anti-Slip



An affordable & versatile anti-slip solution for your steps

Visul Anti Slip Stair Tread Covers are designed to fit over existing substrates and provide an excellent slip resistant surface. Visul Anti Slip Stair Tread Covers offer long term solutions for heavy traffic staircases and walkways due to the heavy duty aggregate incorporated into the top surface.

Tough, chemical resistant stair nosings

Visul Anti Slip Stair Nosings are an excellent choice for providing a cost effective permanent slip resistant solution for step edges. Not only do they instantly improve slip safety underfoot, they also highlight the leading edge of the steps to ensure footing is made easier.



Robust & hard wearing line marking paint

Visul Linemark is a methyl methacrylate based line marking paint designed for application to a wide range of surfaces, offering excellent colour stability, it is both hard wearing and chemically resistant with an inherent long-term flexibility.

Visul Tredseal - Methyl Methacrylate (MMA) Resin

Visul Tredseal offers a 100% effective waterproofing system and skid-resistant surface, many times lighter than mastic asphalt. The ease and speed of application to concrete, asphalt or metal substrates results in minimal possession time and a faster return to service. Visul Tredseal can be used on a wide range of structures subjected to varying traffic loadings, providing a lightweight design.



About

USL Speciality Products

USL Speciality Products manufacture and supply specialist construction products to support, preserve and enhance critical Infrastructure assets, specifically in the Bridge, Rail, Utilities, Offshore, Power and General Construction market spaces.

Our products are supplied to fully trained specialist contractors who deliver complex infrastructure projects to strict quality, budget and time constraints.



BRIDGES



RAIL



UTILITIES



OFFSHORE














POWER



CONSTRUCTION

Our Product Categories

-  Structural Waterproofing
-  GRP Grating, Access Platforms and fencing
-  Mechanical Expansion Joints
-  Structural Bearings
-  Surface Mounted Tactile Paving
-  Bridge Deck Drainage
-  Resin Injection
-  Line Markings
-  Ironwork Reinstatement Products
-  Concrete Repairs
-  Pipe Rehabilitation

USL Brands

Trusted to Deliver Excellence





Marketed by Tremco CPG in Asia Pacific



asia@tremcocpg.com

www.visulsystems.com
www.tremcocpg-asiapacific.com

A  **SPECIALITY PRODUCTS** BRAND